

MODEL	FUEL	MODEL YEAR	FILLING QUANTITY	SPECIFICATIONS APPROVED OIL TYPES	RAVENOL PRODUCT	RECOMMENDATION	ALTERNATIVES TO THE RAVENOL PRODUCT
Freelander 1.8 i	Petrol	'97-'07	4,5	ACEA A2	RAVENOL TSI SAE 10W-40	ACEA A2	
Freelander 2.5 i V6	Petrol	'01-'07	5,2	ACEA A2	RAVENOL TSI SAE 10W-40	ACEA A2	
Freelander 2.0 Si4, AWD	Petrol	'12-'14	5,6	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Freelander 3.2 i6	Petrol	'07-'12	7,5	ACEA A5/B5	RAVENOL SSV SAE 0W-30	ACEA A5/B5	RAVENOL WIV SAE 0W-30
Defender 90, 110, 130 2.5	Petrol	'90-'95	6,9	ACEA A2	RAVENOL VMP SAE 5W-30	ACEA A2	RAVENOL DXG SAE 5W-30
Defender 90, 110, 130 3.5 V8	Petrol	'90-'02	5,7	ACEA A2	RAVENOL VMP SAE 5W-30	ACEA A2	RAVENOL DXG SAE 5W-30
Defender 90 4.0 V8	Petrol	'97-'98	6,57	ACEA A2	RAVENOL VMP SAE 5W-30	ACEA A2	RAVENOL DXG SAE 5W-30
Discovery 1 2.0 16V	Petrol	'93-'98	5,3	ACEA A2	RAVENOL TSI SAE 10W-40		
Discovery 1, 2 V8, V8i	Petrol	'89-'05	6,1-6,7	ACEA A2	RAVENOL VMP SAE 5W-30	ACEA A2	RAVENOL DXG SAE 5W-30
Discovery 2 4.6 V8i	Petrol	'89-'05	6,3	ACEA A2	RAVENOL TSI SAE 10W-40		RAVENOL FDS SAE 5W-30
Discovery 3 4.0 V6	Petrol	'05-'09	5,7	Ford M2C929-A	RAVENOL SSO SAE 0W-30	Ford M2C929-A	RAVENOL FDS SAE 5W-30
Discovery 3 4.4 V8	Petrol	'05-'09	7,5	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Discovery 4 3.0 V6	Petrol	'14-'14	8	STJLR.03.5004 Ford M2C925-A	RAVENOL SFE SAE 5W-20		
Discovery 4 3.0 V6	Petrol	'15-	8	STJLR.51.5122	RAVENOL ECS EcoSynth SAE 0W-20		
Discovery 4 5.0 V8	Petrol	'09-'13	8	STJLR.03.5004 Ford M2C925-A	RAVENOL SFE SAE 5W-20		
Discovery Sport 2.0 Si4 AWD	Petrol	'15-	5,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Discovery Sport 2.0 Si4 Active Driveline	Petrol	'15-	5,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover Evoque 2.0 GTDi, AWD	Petrol	'11-'14	5,6	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover Evoque 2.0 Si4 AWD	Petrol	'14-'15	5,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover Evoque 2.0 Si4 Active Driveline	Petrol	'14-'15	5,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover Evoque 2.0 Si4 Active Driveline	Petrol	'16-	5,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		



RAVENOL ECS SAE 0W-20

API SN/RC ACEA A1/B1
Fully synthetic low friction motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTD-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar/Land Rover STJLR.51.5122

Art.Nr.: 1111102



RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAO (Poly alpha olefines) with CleanSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107



RAVENOL SFE SAE 5W-20

API SN/RC
Fully synthetic low friction low SAPS motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTD-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-C91, Jaguar/LandRover STJLR.03.5004

Art.Nr.: 1111109



RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSyntho® Technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139



RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

MODEL	FUEL	MODEL YEAR	FILLING QUANTITY	SPECIFICATIONS APPROVED OIL TYPES	RAVENOL PRODUCT	RECOMMENDATION	ALTERNATIVES TO THE RAVENOL PRODUCT
Range Rover V8 4.0, 4.6	Petrol	'95-'01	4,9	CCMC G4	RAVENOL Formel Standard SAE 10W-30		
Range Rover (Sport) V8 4.2 SC	Petrol	'05-'09	7,7	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) V8 4.4	Petrol	'02-'05	8,5	ACEA A3/B3	RAVENOL VST SAE 5W-40	ACEA A3/B3	RAVENOL HCS SAE 5W-40
Range Rover (Sport) V8 4.4	Petrol	'05-'07	7,7	Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) V8 5.0, V8 5.0 SC	Petrol	'09-'12	8	STJLR.03.5004 Ford M2C925-A	RAVENOL SFE SAE 5W-20		
Range Rover Sport 3.0 V6, Supercharged	Petrol	'13-'14	8	STJLR.03.5004 Ford M2C925-A	RAVENOL SFE SAE 5W-20		
Range Rover (Sport) 5.0 V8, Supercharged	Petrol	'13-'14	8	STJLR.03.5004 Ford M2C925-A	RAVENOL SFE SAE 5W-20		
Range Rover (Sport) 3.0 V6, 5.0 V8, Supercharged	Petrol	'15-	8	STJLR.51.5122	RAVENOL ECS EcoSynth SAE 0W-20		
Range Rover Sport 5.0 V8 Supercharged SVR	Petrol	'14-	8	STJLR.51.5122	RAVENOL ECS EcoSynth SAE 0W-20		
Freelander 2.0 di	Diesel	'97-'01	4,5	ACEA B2	RAVENOL Formel Super SAE 15W-40	ACEA B2	
Freelander 2.0 Td4	Diesel	'01-'07	6,8	ACEA B3	RAVENOL SSO SAE 0W-30	ACEA B3	RAVENOL VDL SAE 5W-40
Freelander 2.2 TD4	Diesel	'07-'10	5,9	Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Freelander 2.2 TD4, SD4, eD4	Diesel	'10-'14	5,9	Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Freelander 2.2 TD4, SD4, eD4, + DPF	Diesel	'11-'14	5,9	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Defender 90, 110, 130 2.5 D, Tdi	Diesel	83-'94	6,7	CCMC G4	RAVENOL Formel Standard		
Defender 90, 110, 130 Tdi	Diesel	94-'98	6,7	ACEA B2	RAVENOL DLO SAE 10W-40		
Defender 90, 110, 130 2.2 Td4	Diesel	11-'16	7	STJLR.03.5003 Ford M2C913-C			
Defender 90, 110, 130 2.5 D, Tdi	Diesel	83-'94	6,7	CCMC G4	RAVENOL Formel Standard SAE 10W-30		
Defender 90, 110, 130 Tdi	Diesel	94-'98	6,7	ACEA B2	RAVENOL DLO SAE 10W-40		
Defender 90, 110, 130 2.2 Td4	Diesel	11-'16	7	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30		
Defender 90, 110, 130 2.2 Td4, + DPF	Diesel	11-'16	7	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Defender 90, 110, 130 2.4 Td4	Diesel	'07-'11	6,3	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Discovery 1, 2 Tdi	Diesel	'89-'05	6,7-6,9	API: CD	RAVENOL DLO SAE 10W-40		



RAVENOL ECS SAE 0W-20

API SN/RCI ACEA A1/B1
Fully synthetic low friction motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTD-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102



RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAD (Poly alpha olefines)with CleanSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107



RAVENOL SFE SAE 5W-20

API SN/RCI
Fully synthetic low friction low SAPS motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTD-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-C/11, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111100



RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSyntho® technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139



RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

MODEL	FUEL	MODEL YEAR	FILLING QUANTITY	SPECIFICATIONS APPROVED OIL TYPES	RAVENOL PRODUCT	RECOMMENDATION	ALTERNATIVES TO THE RAVENOL PRODUCT
Discovery 3 2.7 TdV6	Diesel	'05-'09	5,7	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Discovery 4 2.7 TDV6	Diesel	'09-'10	5,5	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Discovery 4 3.0 TDV6, SDV6	Diesel	'10-'12	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Discovery 4 3.0 TDV6, SDV6	Diesel	'13-	5,9	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30		
Discovery 4 3.0 TDV6, SDV6, + DPF	Diesel	'13-	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30	ACEA B3	
Discovery Sport 2.0 eD4	Diesel	'15-	6,5	STJLR.03.5007	SPECIAL PRODUCT	Ford M2C913-B	
Discovery Sport 2.0 TD4 AWD	Diesel	'15-	6,5	STJLR.03.5007	SPECIAL PRODUCT	Ford M2C913-B	
Discovery Sport 2.0 TD4 AWD Active Driveline	Diesel	'15-	6,5	STJLR.03.5007	SPECIAL PRODUCT		
Discovery Sport 2.2 TD4, SD4, AWD	Diesel	'15-	5,9	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Discovery Sport 2.2 TD4, SD4, AWD Active Driveline	Diesel	'15-	5,9	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Discovery Sport 2.2 TD4, SD4, AWD, +DPF	Diesel	'15-	5,9	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Discovery Sport 2.2 TD4, SD4, AWD, +DPF Active Driveline	Diesel	'15-	5,9	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Range Rover Evoque 2.0 eD4	Diesel	'16-	6,5	STJLR.03.5007	SPECIAL PRODUCT		
Range Rover Evoque 2.0 TD4 AWD	Diesel	'16-	6,5	STJLR.03.5007	SPECIAL PRODUCT		
Range Rover Evoque 2.0 TD4 AWD Active Driveline	Diesel	16-	6,5	STJLR.03.5007	SPECIAL PRODUCT		
Range Rover Evoque 2.2 TD4, SD4, AWD	Diesel	11-'14	5,9	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover Evoque 2.2 TD4, SD4, AWD, + DPF	Diesel	11-'14	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover Evoque 2.2 TD4, SD4, eD4, AWD	Diesel	14-'16	5,9	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover Evoque 2.2 TD4, SD4 Active Driveline	Diesel	14-'16	5,9	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover Evoque 2.2 TD4, SD4, eD4, AWD, + DPF	Diesel	14-'16	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover Evoque 2.2 TD4, SD4, eD4, AWD, + DPF Active Driveline	Diesel	14-'16	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover 2.5 TDi	Diesel	94-'01	9,5	CCMC G5	RAVENOL HVT SAE 5W-50		

RAVENOL ECS SAE OW-20

API SN/RCI ACEA A1/B1
Fully synthetic low friction motor oil with CleanSynto® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTO-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102

RAVENOL VSF SAE OW-30

ACEA C2
RAVENOL VSF SAE OW-30 is a fully synthetic low friction engine oil based on PAO (Poly alpha olefines) with CleanSynto® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107

RAVENOL SFE SAE 5W-20

API SN/RCI
Fully synthetic low friction low SAPS motor oil with CleanSynto® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTO-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-0R1, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111110

RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSynto® Technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139

RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSynto® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimizes friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

MODEL	FUEL	MODEL YEAR	FILLING QUANTITY	SPECIFICATIONS APPROVED OIL TYPES	RAVENOL PRODUCT	RECOMMENDATION	ALTERNATIVES TO THE RAVENOL PRODUCT
Range Rover Td6	Diesel	02-'06	8,75	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) 2.7 TDV6	Diesel	05-'09	5,5	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) 3.0 TDV6	Diesel	09-'12	5,9	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) 3.0 TDV6 DPF	Diesel	09-'12	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 3.0 TDV6	Diesel	12-'13	5,9	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) 3.0 TDV6 DPF	Diesel	12-'13	5,9	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover 3.0 TDV6	Diesel	'13-'13	6	ACEA C1/03.505	RAVENOL FLJ SAE 5W-30	Ford M2C913-C	RAVENOL FDS SAE 5W-30
Range Rover (Sport) 3.0 TDV6, SDV6	Diesel	'14-'14	6	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30		
Range Rover (Sport) 3.0 TDV6, SDV6	Diesel	'15-	6	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30		
Range Rover 3.0 TDV6 DPF	Diesel	'13-'13	6	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 3.0 TDV6 DPF, SDV6 DPF	Diesel	'14-'14	6	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 3.0 TDV6 DPF, SDV6 DPF	Diesel	'15-	6	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 3.0 SDV6 Hybrid	Diesel	'14-	6	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover (Sport) 3.0 SDV6 Hybrid DPF	Diesel	'14-	6	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 3.6 TDV8	Diesel	'06-'13	9,5	STJLR.03.5003 Ford M2C913-B	RAVENOL FDS SAE 5W-30	Ford M2C913-B	RAVENOL FO SAE 5W-30
Range Rover (Sport) 3.6 TDV8 DPF	Diesel	'06-'13	9,5	STJLR.03.5005 Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 4.4 TDV8	Diesel	'10-'13	9,5	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30	Ford M2C913-C	RAVENOL FO SAE 5W-30
Range Rover (Sport) 4.4 TDV8 DPF	Diesel	'10-'13	9,5	Ford M2C934-B	RAVENOL FLJ SAE 5W-30		
Range Rover 4.4 SDV8	Diesel	13-'13	9,4	ACEA C1/03.505	RAVENOL FLJ SAE 5W-30	Ford M2C913-B	RAVENOL FDS SAE 5W-30
Range Rover (Sport) 4.4 SDV8	Diesel	14-'14	9,4	STJLR.03.5003 Ford M2C913-C	RAVENOL FDS SAE 5W-30		
Range Rover (Sport) 4.4 SDV8	Diesel	15-	9,4	STJLR.03.5003	RAVENOL FDS SAE 5W-30		
Range Rover 4.4 SDV8 DPF	Diesel	13-'13	9,4	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 4.4 SDV8 DPF	Diesel	14-'14	9,4	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		
Range Rover (Sport) 4.4 SDV8 DPF	Diesel	15-	9,4	STJLR.03.5005	RAVENOL FLJ SAE 5W-30		

RAVENOL ECS SAE 0W-20

API SN/RC ACEA A1/B1
Fully synthetic low friction motor oil with ClearSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTO-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102

RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAD (Poly alpha olefines) with ClearSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107

RAVENOL SFE SAE 5W-20

API SN/RC
Fully synthetic low friction low SAPS motor oil with ClearSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), FORD WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTO-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-CR1, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111110

RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with ClearSyntho® technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139

RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low viscosity motor oil with ClearSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143